EMOTIONAL FREEDOM SERIES | PART 2

The Science & Mechanics ("The Why")

The Biology, Neuroscience, and Psychology of Why Signals Fire, Get Trapped, and Release

Adam Fistler - Behavioral Systems Analyst (adam@adamfistler.com)

Series Roadmap

- **Part 1: Understanding the Signal —** Recognizing emotions as neutral data, untangling mixed feelings, and learning how to respond to each signal constructively.
- **Part 2: The Science & Mechanics ("The Why") —** Understanding the biology, neuroscience, and psychology behind why emotions fire, why they get stuck or suppressed, and how the system releases them.
- **Part 3: Practical Tools for Change ("The How") —** Applying everyday resets, cognitive reframing, grounding, meditation, and hypnosis to retrain habitual responses.

SESSION 2A | THE HARDWARE & THE BOTTLENECK (WHY SIGNALS GET STUCK)

> **The Core Reframe: Incomplete Stress Cycles, Not Broken Hardware**
>
> Your brain is not malfunctioning when it overreacts or replays an old feeling—it is running an evolutionary survival program. Recurrent or trapped emotions are simply incomplete biological and psychological cycles. When you understand the machinery running beneath your feelings, you stop fighting your nervous system and start working with its wiring.

1. The Hardware: Why Emotions Exist & How They Fire

Emotions are whole-body chemical and electrical programs engineered to move you toward safety or away from threat before your conscious mind finishes evaluating the room.

- **The Speed Gap (Amygdala vs. Prefrontal Cortex):** Incoming sensory data hits your threat-detection center (the amygdala) milliseconds before it reaches your rational, analytical brain (the prefrontal cortex). Your body releases adrenaline, cortisol, and norepinephrine first —creating a physical surge before you have time to verify whether the danger is real.
- **The Predictive Brain (Memory as a Filter):** Your brain is a prediction engine, not a passive camera. It constantly cross-references present events against stored emotional memories (the hippocampus and implicit memory networks) to anticipate what comes next. When a current moment resembles an old wound, the brain fires the old chemical alarm automatically.
- **Interoception (The Body-Brain Feedback Loop):** Emotions run on two-way traffic. The brain sends signals down the vagus nerve to alter heart rate, breathing, and gut tension—and then reads those physical sensations back as "evidence" that you are in danger, locking in the emotional state.

© 2026 - Adam Fistler - Web: https://www.adamfistler.com - Email: adam@adamfistler.com

2. The Bottleneck: Why Signals Become Suppressed or Trapped

If emotions are designed to be temporary signals, why do people stay stuck in recurrent anger, anxiety, or numbness for years?

Mechanism	The Biology & Neuroscience	The Psychology (Why We Do It & Why It's Hard)
Why People Suppress	Suppression forces the prefrontal cortex to actively inhibit the amygdala—burning high metabolic energy and spiking blood pressure and cortisol even when you appear calm on the outside.	**Learned Survival:** If expressing fear, anger, or sadness early in life led to ridicule, punishment, or abandonment, the nervous system learned that feeling = danger and numbing = safety.
Why It's Hard to Confront	Turning toward a suppressed feeling lights up the brain's pain and threat circuits as if the original event is happening now. Avoidance triggers an immediate hit of dopamine/relief, reinforcing running away.	**Ego & Identity Protection:** Confronting a feeling often requires admitting grief, powerlessness, or a mistake (triggering shame). Distraction, busyness, or anger feels safer than vulnerability.
Why Emotions Become Trapped	An emotion is a chemical and muscular readiness state built to fuel action. When action is blocked or suppressed, stress hormones and autonomic tension remain unspent in the nervous system.	**Unfinished Loops:** Like an open background program draining system memory, the brain keeps re-triggering the signal (recurrent thoughts, tension, urges) trying to get you to complete the task.
Why It's Hard to "Get a Handle" When You Try	Under high emotional load, blood flow shifts away from the prefrontal cortex (logic and willpower) and toward survival circuits. You lose access to your reasoning hardware right when you need it most.	**Fighting the Signal:** Trying to force yourself to "stop feeling" adds a second layer of threat (resistance + self-judgment), pumping fresh adrenaline into the exact loop you are trying to shut down.

© 2026 - Adam Fistler - Web: https://www.adamfistler.com - Email: adam@adamfistler.com

SESSION 2B | THE RELEASE CYCLE & UNSTICKING THE SYSTEM

3. How the Nervous System Completes & Releases a Trapped Signal

You cannot think your way out of a physiological loop, and you cannot permanently bury an active signal. Releasing trapped or recurrent emotions requires completing the biological and psychological circuit in sequence:

Step 1: Lower the Alarm (Physiological Down-Regulation)

- **The Science:** Before the rational brain can come back online, the autonomic nervous system must shift out of sympathetic overdrive (fight/flight) into parasympathetic safety (rest/digest).
- **What It Does:** Slowing your physical state signals the amygdala that you are not in immediate danger—restoring blood flow to the prefrontal cortex so you can observe the feeling instead of drowning in it.

Step 2: Experience Without Resistance (Somatic Processing)

- **The Science:** When you allow a physical emotion to be felt neutrally without attaching a catastrophic story or fighting it, the chemical surge naturally peaks and metabolizes—a process neuroanatomists note takes roughly 90 seconds for the initial biochemical wave to flush if you stop re-triggering it with thoughts.
- **What It Does:** Experiencing the raw physical sensation (tight chest, heat, heaviness) teaches the brain that the feeling itself is safe to survive, breaking the conditioned fear of the emotion.

Step 3: Decode & Satisfy the Signal (Functional Completion)

- **The Science:** Warning lights stay active until the underlying condition is addressed. When you translate the signal (Part 1) and execute its constructive response—setting a boundary, grieving a loss, or pivoting a failed strategy—the brain registers completion and shuts down the alarm.
- **Watch-Out — The Extinction Burst:** When you stop using old numbing or avoidance habits, the brain often temporarily turns up the volume on the uncomfortable feeling to test if the old exit still works. This spike is proof the old loop is breaking, not proof you are failing.

Step 4: Reconsolidate the Memory (Updating the Root Wiring)

- **The Science:** Through memory reconsolidation, whenever an old emotional trigger is activated in a state of calm awareness and paired with a new, accurate adult perspective, the brain physically rewrites the neural pathway before storing it again.
- **What It Does:** The next time a similar event occurs, the brain runs the updated code instead of the old survival reflex. That is true release—not erasing the past, but stripping the emotional charge off the memory.

4. Breaking the Loop: Preview of the Unsticking Toolkit

Understanding the biology shows you where the loop happens—now you match the right lever to the right part of the hardware. In Part 3, we will train on each tool in depth:

© 2026 - Adam Fistler - Web: https://www.adamfistler.com - Email: adam@adamfistler.com

Where You Are Stuck	The Biological Goal	Tool Preview (Covered in Part 3)
Body is flooded / alarm is blaring	Shift the nervous system out of fight-or-flight so your rational brain turns back on.	**Physiological Resets & DBT Grounding:** Extended exhales (physiological sighs), cold water, or sensory shifts (5-4-3-2-1).
Mind is spiraling on an old story	Separate objective facts from the brain's automatic prediction filter.	**Cognitive Audits & CBT / EBT:** Running a "Camera Check" (facts vs. story) and challenging distorted assumptions.
Fighting or suppressing the feeling	Let the 90-second chemical wave metabolize without adding resistance.	**Observational Distance & Meditation:** Naming the signal neutrally ("I notice frustration firing") and scanning physical sensations without judgment.
Deep, automatic root triggers	Rewrite the stored emotional association through memory reconsolidation.	**Focused Conditioning & Hypnosis:** Quieting surface analytical resistance to update old emotional memories and rehearse new responses.

Quick Check-In: Audit a Recurrent Loop

Note: Only run this audit when your intensity is at a 5 out of 10 or lower. If you are flooded (6+), regulate your body first.

1. The Physical Tell *(Where in your body does the chemical surge hit first—chest, stomach, jaw, throat?):*

2. The Avoidance Habit *(How do you usually push this feeling away, numb it, or distract from it?):*

3. The Missing Completion Step *(Which step in Section 3—Regulating, Feeling Safely, Satisfying the Signal, or Updating the Story—has been missing?):*

© 2026 - Adam Fistler - Web: https://www.adamfistler.com - Email: adam@adamfistler.com

About the Author

Adam Fistler is a Behavioral Systems Analyst, Board Certified Hypnotist, Certified 5-PATH® Hypnotist, and former owner of the Baltimore Hypnosis Center. A member of the International 5-PATH® Hypnosis Association and certified by the National Guild of Hypnotists, Adam has studied hypnosis, behavior change, and the relationship between thoughts, beliefs, emotions, and behavior for more than two decades.

His perspective is shaped by more than professional training. Adam has also lived through addiction and recovery firsthand across South Jersey and the Philadelphia region, including surviving on the streets of Camden. This gives him a deeply personal understanding of the struggle from both sides: as a practitioner who has helped others create change and as someone who has had to confront his own deeply ingrained patterns and beliefs.

During his own recovery, Adam returned to the principles of hypnosis, mindfulness, self-talk, and behavioral change that he had studied throughout his career. He discovered that recovery could be about more than simply managing cravings or avoiding relapse—it could also be an opportunity to understand the beliefs, emotional patterns, and experiences that had shaped his behavior.

Today, Adam combines his professional experience with the lessons of his own journey to serve clients throughout Greater Baltimore, Maryland, South Jersey, Philadelphia, areas and beyond, helping others explore the possibility of meaningful, lasting change. His approach is grounded in empathy, curiosity, practical tools, and the belief that people are more than the behaviors they are trying to overcome.

© 2026 - Adam Fistler - Web: https://www.adamfistler.com - Email: adam@adamfistler.com